

L Number	Hits	Search Text	DB	Time stamp
-	81	(@ad < "19981023") and (digital) and encrypt\$5 and decrypt\$9 and polariz\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:49
-	24	(@ad < "19981023") and (digital adj rights) and encrypt\$5 and decrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:00
-	76	(@ad < "19981023") and ((rights adj management) or (intellectual adj property adj management) or (copyright adj management)) and encrypt\$5 and decrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:27
-	0	((@ad < "19981023") and ((rights adj management) or (intellectual adj property adj management) or (copyright adj management)) and encrypt\$5 and decrypt\$9) and polariz\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:05
-	0	((@ad < "19981023") and ((rights adj management) or (intellectual adj property adj management) or (copyright adj management)) and encrypt\$5 and decrypt\$9) and polariz\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:05
-	81	(@ad < "19981023") and ((rights adj management) or (intellectual adj property adj management) or (copyright adj management or digital)) and encrypt\$5 and decrypt\$9 and polariz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:06
-	5	(@ad < "19981023") and (encrypt\$6 adj presentation adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:17
-	20	(@ad < "19981023") and polariz\$9 and encrypt\$ and decrypt\$8 and render\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:21
-	5	(@ad < "19981023") and (encrypt\$7 adj presentation adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:56
-	0	380/24.ccls. and digital and encrypt\$ and decrypt\$6 and rights	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:07
-	0	380/24.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:07
-	0	(@ad < "19981023") and (digital adj right\$1) and (clear adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:10
-	29	(@ad < "19981023") and (digital adj right\$1) and clear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:16
-	21	(@ad < "19981023") and (digital adj right\$1) and render\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:16

-	18	(@ad < "19981023") and (digital adj right\$1) and render\$7 and encrypt\$6 and decrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:54
-	1	(@ad < "19981023") and (decrypt\$8 same (presentation adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:57
-	10	(@ad < "19981023") and (encrypt\$8 same (presentation adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:04
-	276	(@ad < "19981023") and (render\$8 near9 encrypt\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:30
-	21	((@ad < "19981023") and (render\$8 near9 encrypt\$6)) and 380/28.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:31
-	0	(@ad < "19981023") and (digital adj right\$1) and ((token-based) or (token adj based)) and coordnate and encrypt\$5 and decrypt\$7 and character\$1 and graph\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:59
-	0	(@ad < "19981023") and (digital adj right\$1) and ((token-based) or (token adj based)) and coordnate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:59
-	0	(@ad < "19981023") and (digital adj right\$1) and token and coordnate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:59
-	0	(@ad < "19981023") and digital and token and coordnate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:00
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:01
-	0	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1 and character\$1 and graph\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:01
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:02
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1 and render\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:28
-	23	(@ad < "19981023") and (digital adj rights adj management\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:58

-	249	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:06
-	181	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (character\$5 or image\$3 or graph\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:17
-	0	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (rendering adj encrypted adj presentation adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:18
-	0	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 adj presentation adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:18
-	2	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 near9 (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:26
-	123	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 near9 (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:32
-	53	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 with encrypt\$7 near9 (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:34
-	17	((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 with encrypt\$7 near9 (data or content)) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:46
-	66	@ad < "19981023" and (digital adj right\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:50
-	5	@ad < "19981023" and (encrypted adj presentation adj (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:56
-	3	@ad < "19981023" and (rendering adj encrypted adj (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:00
-	0	@ad < "19981023" and (rendering near8 encrypted0 adj (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:00
-	19	@ad < "19981023" and (rendering near8 encrypted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:03
-	254	@ad < "19981023" and (render\$5 near8 encrypt\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:01

-	102	(@ad < "19981023") and (render\$3 near8 decrypt\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:15
-	5	(@ad < "19981023") and (encrypt\$5 adj presentation adj (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:15
-	9	(@ad < "19981023") and (encrypt\$5 with presentation adj (data or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:24
-	34	(@ad < "19981023") and (digital adj right\$1) and data and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:42
-	1	(@ad < "19981023") and ((replay\$10 with encrypt\$5) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:00
-	1	(@ad < "19981023") and ((play\$10 with encrypt\$5) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:55
-	103	(@ad < "19981023") and (format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:58
-	54	((@ad < "19981023") and (format adj preserv\$6)) and digital	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:55
-	0	(@ad < "19981023") and (format adj preserv\$6) and (digital adj rights)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:57
-	0	(@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital adj (content or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:57
-	8	(@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:57
-	0	(@ad < "19981023") and (encrypted adj format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:58
-	0	(@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:58
-	0	(@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:58

-	2	(@ad < "19981023") and (encrypt\$6 same format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:59
-	1	(@ad < "19981023") and ((play\$10 with encrypt\$5) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:00
-	0	(@ad < "19981023") and ((tran\$5 adj clear) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:01
-	30	(@ad < "19981023") and ((clear or plain) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:25
-	7	(@ad < "19981023") and (digital adj rights) and ((plain or clear) with save\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:36
-	0	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 adj format\$10))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:37
-	2	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 near4 format\$10))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:46
-	9	(@ad < "19981023") and (encrypt\$6 with (presentation adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 11:54
-	277	(@ad < "19981023") and (render\$7 or play\$5 or replay\$5) with (encrypt\$5 with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:43
-	438	(@ad < "19981023") and ((digital or copy\$9) adj rights) and token	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:31
-	0	(5867579.pn. or 6424715.pn. or 6192138.pn. or 6044157.pn. or 6006004.pn. or 5600721.pn.) and token	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:27
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with token with encrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:09
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) same token\$9 same encrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:28
-	6	(@ad < "19981023") and ((digital or copy\$9) with right\$5) same token\$9 same encrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:26

-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with token	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:31
-	1	(@ad < "19981023") and ((digital or copy\$9) adj rights) same token\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:38
-	6	(@ad < "19981023") and token-based adj document\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:38
-	47	(@ad < "19981023") and ((digital or copy\$9) adj rights) and (identifier\$5 with token)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:05
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with (x with y with coordinate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:10
-	302	(@ad < "19981023") and ((digital or copy\$9) adj rights) and (x with y with coordinate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:11
-	18	((@ad < "19981023") and ((digital or copy\$9) adj rights) and (x with y with coordinate\$1)) and (715/\$.ccls. or 380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:12
-	3	((@ad < "19981023") and ((digital or copy\$9) adj rights) and (x with y with coordinate\$1)) and (713/\$.ccls. or 380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:22
-	489	(@ad < "19981023") and ((digital or copy\$9) with right\$5) and (table with document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:32
-	10	((@ad < "19981023") and ((digital or copy\$9) with right\$5) and (table with document)) and (713/\$.ccls. or 380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:28
-	0	(@ad < "19981023") and ((digital or copy\$9) with right\$5) and (document with token with (x and y) with coordinate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:33
-	1	(@ad < "19981023") and ((digital or copy\$9) with right\$5) and (document same token same (x and y) same coordinate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 11:52